





TOWN COUNCIL COVID-19 PRESENTATION

JANUARY 19, 2022





Total Positive Cases for Mono County Residents (last 30 d...




TOTAL POSITIVE CASES: 2,472 (INCREASE IN CASES: 692 OR 39%)

As of January 18, 2022

Mono County and CA Case Summary By Area



MONO COUNTY CASE STATS: POSITIVITY RATE



- Dec. 19 – 25: 76*
- Dec. 26 – Jan. 1: 185*
- Jan. 1 – 8: 436*
- Jan. 9 – 15: 270*

Indicator	High transmission
Daily case rate	> 14
Test positivity	≥ 10%
Unvaccinated	Mask Required
Fully vaccinated	Mask Required

Note: The most recent week (1/9-1/15) is *not* all in yet. We are missing two days of results from two locations so we anticipated an increase in the Case Rate.


MONO COUNTY CASE STATS: POP. ADJUSTED CASE RATE

**Actual case rates over a 7-day period.*

As of January 8, 2022



New Positive Cases per Week



MONO COUNTY CASE STATS: ACTUAL 7-DAY CASE RATES

As of January 15, 2022

CASES BY AGE RANGE

**SINCE 12/12/2021*

Age	Positives	Percentage
0 - 11 yrs.	80	14.06%
12 - 17 yrs.	77	13.53%
18 - 29 yrs.	128	22.50%
30 - 49 yrs.	181	31.81%
50 - 64 yrs.	80	14.06%
65 - 74 yrs.	19	3.34%
75+ yrs.	4	0.70%

LOCAL VS VISITOR CASES

**DATA TAKEN FROM
OPTUMSERVE FOR
PAST 3 WEEKS*

Residence	Total Positives	Percent
Mono County Residents	542	58.53%
Non-residents	384	41.47%
Total	926	

CALIFORNIA COVID-19 DASHBOARD


As of January 19, 2022, California has confirmed a total of 6,910,991 COVID-19 cases and 77,345 deaths.

VACCINES ADMINISTERED

67,900,959 total

159,173 daily avg

81.1% of population vaccinated
(5+ with at least one dose)




Past 8 weeks

CASES

6,910,991 total

110,967 daily avg

265.4 new cases (per 100k)




Past 8 weeks

DEATHS

77,345 total

44 daily avg


0.1 new deaths (per 100k)



Past 8 weeks

TESTS

20.9% test positivity



Past 8 weeks

Persons Who Test Positive for COVID-19 (Isolation)	Recommended Action
<p>Everyone, regardless of vaccination status, previous infection or lack of symptoms.</p>	<ul style="list-style-type: none"> • Stay home (PDF) for at least 5 days. • Isolation can end after day 5 if symptoms are not present or are resolving and a diagnostic specimen* collected on day 5 or later tests negative. • If unable to test or choosing not to test, and symptoms are not present or are resolving, isolation can end after day 10. • If fever is present, isolation should be continued until fever resolves. • If symptoms, other than fever, are not resolving continue to isolate until symptoms are resolving or until after day 10. • Wear a well-fitting mask around others for a total of 10 days, especially in indoor settings (see Section below on masking for additional information) <p>*Antigen test preferred.</p>

CDPH ISOLATION AND QUARANTINE RECOMMENDATIONS FOR THE GENERAL PUBLIC (NOT APPLICABLE TO HEALTHCARE PERSONNEL)

Persons Who are Exposed to Someone with COVID-19 (Quarantine)	Recommended Action
<ul style="list-style-type: none"> • Unvaccinated; OR • Vaccinated and booster-eligible but have not yet received their booster dose.** <p>(Refer to CDC COVID-19 Booster Shots to determine who is booster eligible)</p>	<ul style="list-style-type: none"> • Stay home (PDF) for at least 5 days, after your last contact with a person who has COVID-19. • Test on day 5. • Quarantine can end after day 5 if symptoms are not present and a diagnostic specimen collected on day 5 or later tests negative. • If unable to test or choosing not to test, and symptoms are not present, quarantine can end after day 10. • Wear a well-fitting mask around others for a total of 10 days, especially in indoor settings (see Section below on masking for additional information). • Strongly encouraged to get vaccinated or boosted. • If testing positive, follow isolation recommendations above. • If symptoms develop, test and stay home.

** Workplace Setting (not applicable to healthcare personnel):

CDPH ISOLATION AND QUARANTINE RECOMMENDATIONS FOR THE GENERAL PUBLIC (NOT APPLICABLE TO HEALTHCARE PERSONNEL)

Persons Who are Exposed to Someone with COVID-19 (No Quarantine)	Recommended Action
<ul style="list-style-type: none"> • Boosted; OR • Vaccinated, but not yet booster-eligible. <p>(Refer to CDC COVID-19 Booster Shots to determine who is booster-eligible)</p>	<ul style="list-style-type: none"> • Test on day 5. • Wear a well-fitting mask around others for 10 days, especially in indoor settings (see Section below on masking for additional information) • If testing positive, follow isolation recommendations above. • If symptoms develop, test and stay home.

Isolation and Quarantine

Isolation: separates those infected with a contagious disease from people who are not infected.

Quarantine: restricts the movement of persons who were exposed to a contagious disease in case they become infected.

CDPH ISOLATION AND QUARANTINE RECOMMENDATIONS FOR THE GENERAL PUBLIC (NOT APPLICABLE TO HEALTHCARE PERSONNEL)

MONO COUNTY COVID-19 VACCINE DASHBOARD



1st Dose Administered

9,057

Mammoth Hospital & Mono County

Fully Vaccinated

8,700

Mammoth Hospital & Mono County

- 3,700+ COVID-19 third doses have been administered to Mono County Residents.

- 68.5%* Fully Vaccinated
- 7.4%* Partially Vaccinated


*Includes 5-11 year olds

VACCINE EFFECTIVENESS

- Vaccines prevent serious illness, save lives, and reduce further spread of COVID-19.
- As more people are vaccinated, the virus is less likely to spread, mutate, and potentially become even more dangerous. **Vaccines will help put an end to the pandemic.**
- Unvaccinated people are **6.0 times more likely** to be **hospitalized** with COVID-19 than fully vaccinated people.
- Unvaccinated people were **17.8 times more likely** to **die** from COVID-19 than fully vaccinated people.


Hospitalizations per million (7-day running average)

— Unvaccinated — Vaccinated



Deaths per million (7-day running average)

— Unvaccinated — Vaccinated



VACCINE ELIGIBILITY


COVID-19 Vaccine Eligibility

Use this chart to help determine when to give COVID-19 vaccine based on age or health conditions.

	Dose	Age:	5-11	12-17	18+
Pfizer– Pediatric (5-11)	Primary 2 doses (21 days apart)		✓		
	Additional (3rd) dose for immunocompromised , at least 28 days after 2nd Pfizer dose		✓		
Pfizer/ Comirnaty (12+)	Primary 2 doses (21 days apart)			✓	✓
	Additional (3rd) dose for immunocompromised , at least 28 days after 2nd Pfizer dose			✓	✓
	Booster dose* of Pfizer (or Moderna if age 18+), at least 5 months after 2nd dose of Pfizer			✓	✓
Moderna (18+)	Primary 2 doses (28 days apart)				✓
	Additional (3rd) dose for immunocompromised , at least 28 days after 2nd Moderna dose				✓
	Booster dose* of Moderna (half-dose) or Pfizer, at least 5 months after 2nd dose of Moderna				✓
Johnson & Johnson (18+)	Primary 1 dose				✓
	Booster dose* of different brand (preferred) or J&J, at least 2 months after primary J&J dose				✓

Use of Pfizer or
Moderna is preferred.*

UNIVERSAL MASKING REQUIRED FOR ALL PUBLIC INDOOR SETTINGS



Masks required

- ✓ Masks are required to be worn in all indoor public settings irrespective of vaccine status through **February 15, 2022**, at which point California will make further recommendations as needed in response to the pandemic.
- ✓ Prior to attending an event, attendees will now require either proof of vaccination, a negative antigen COVID-19 test within one day of the event, or a negative PCR test within two days of the event.
- ✓ New travel advisory: all travelers arriving in California **test for COVID-19 within three to five days after arrival**, regardless of their vaccination status.

Details: <https://www.cdph.ca.gov/Programs/OPA/Pages/NR21-352.aspx>

UPGRADE YOUR MASK!

- Thanks for masking up, Mammoth Lakes!
- It's time to level up your protection against #COVID19. Choose a mask with good fit and filtration (N95 and KN95 masks are best). Double masking is also good (a surgical mask plus a cloth mask on top).
- Regardless of the mask type, it is only effective if it is **worn over your mouth and nose**.
- The least effective mask is a fabric mask with three or more cloth layers, while surgical masks or higher-level respirators (e.g., N95s, KN95s, KF94s) provide the best protection against COVID-19.

Upgrade Your Mask

Consider Fit, Filtration and Comfort

GOOD	BETTER	BEST
		
Surgical Mask	KF94/KN95 Surgical + Cloth	N95

FAIR



Cloth Mask

One that fits well and has at least 3 layers. A cloth mask is better than no mask.



COVID-19 TESTING IN MONO COUNTY



OPTUMSERVE TESTING

- OptumServe now offers testing **Tuesday through Saturday** from 11am – 7pm in Mammoth Lakes
at the Sierra Star Golf Course (2001 Sierra Star Pkwy.).
- Testing staff typically take lunch between 3-4pm.
- Pre-registration is required: <https://lhi.care/covidtesting>

PUBLIC HEALTH POP-UP TESTING CLINICS FOR JANUARY

- Jan. 31, 2022 – Bridgeport Public Health Department, 11am – 1pm

JANUARY IS NATIONAL BLOOD DONOR MONTH

#givewithme

While the need for blood is constant, California, along with the rest of the nation, is experiencing the most severe blood shortage in the last ten years.

“Donating blood is not only essential to ensuring the health of our communities, it is truly a lifesaving resource for those who need it most, including accident and burn victims, heart surgery and organ transplant patients, and those battling cancer.”

Please help us encourage Californians to make an appointment to donate blood if they are eligible.

<https://www.aabb.org/for-donors-patients/give-blood>



MONO COUNTY COVID-19 LOCAL INFORMATION & RESOURCES



MonoHealth.com/
Coronavirus
MONO COUNTY
COVID-19 Resource Portal



MonoHealth.com/
Coronavirus-es
CONDADO DE MONO
COVID-19 Portal de recursos

- Website: MonoHealth.com/Coronavirus
- Spanish: <https://monohealth.com/coronavirus-es>
- Facebook:
<https://www.facebook.com/monohealthdepartment>
- Email: COVID19Help@mono.ca.gov